Author Index to Volume 19

Anderson, R. C. See Thomas, K. A. 145
Andrade, J. D. See Chuang, Y. Y. K. 813
Argentieri, G. J. See Visscher, G. E. 349
Asano, M. See Yoshida, M. 615
Asaoka, K.
—; Kuwayama, N.; Okuno, O.; Miura, I.: Mechanical properties and biomechanical compatibility of porous titanium for dental implants, 699
Askill, I. N. See Williams, D. F. 313
Atallah, M. See Johnson, H. J. 489
Atsuta, T. See Yano, E. 863

Bab, I. See Sela, J. 225
Baier, R. E.
—; DePalma, V. A.; Goupil, D. W.; Cohen, E.: Human platelet spreading on substrata of known surface chemistry, 1157
Bajpai, P. K. See Salgaller, M. L., 1
Baldet, P. See Pernot, F. 293
Baldini, L. See Lewis, J. 99
Banes, A. J. See Gilbert, J. A. 601
Bentley, K. L.
—; Klebe, R. J.: Fibronectin binding properties of bacteriological petri plates and tissue culture dishes, 757
Berggren, A. See Sundgren, J.-E. 663
Bobeck, H. See Edelman, E. R., 67
Bodo, P. See Sundgren, J.-E. 663
Bonnel, F. See Pernot, F. 293
Boyde, A.
—; Jones, S. J.: Bone modelling in the implantation bed, 199
Boyer, D. B. See Papadogianis, Y. 85
Bradley, E. L. See Retief, D. H. 335
Brash, J. L.
—; Chan, B. M. C.; Szota, P.; Thibodeau, J. A.: Degradation of adsorbed fibrinogen by surface-generated plasmin, 1017
Brauer, G. M. See Stansbury, J. W. 715
Brewer, P. S. See Woodward, S. C. 437
Brott, B. C. See Leong, K. W. 941
Brown, K. L. See Tencer, A. F. 957
Brynda, E.
—; Stol, M.; Chytry, V.; Cifkova, I.: The removal of residuals and oligomers from poly(2-hydroxyethylthylmethacrylate), 1169
Butts, M. B. See Okabe, T. 727

Callow, A. D. See Keough, E. M. 577
Carter, J. M. See Murphy, K. M. 971
Chan, B. M. C. See Brash, J. L. 1017
Chen, G.-W. See Sato, H. 1135
Chignier, E.
—; Eloy, R.; Huc, A.; Gimeno, R.; Gleizal, C.; Long-term behavior of bovine collagen membrane used as vascular substitute. Experimental study in rats, 115
Cho, C. S. See Heyman, P. W. 419
Chu, C. C.
—; Welch, L.: Characterization of morphologic and mechanical properties of surgical mesh fabrics, 903
Chuang, H. Y. K.
—; Andrade, J. D.: Immunochemical detection by specific antibody to thrombin of prothrombin conformational changes upon adsorption to artificial surfaces, 813
Chytry, V. See Brynda, E. 1169
Cifkova, I. See Brynda, E. 1169
Cohen, E. See Baier, R. E. 1157
Cook, S. D. See Thomas, K. A. 145
Cook, S. D. See Thomas, K. A. 875
Cook, W. D.
—; McAree, D. C.: Optical properties of esthetic restorative materials and natural dentition, 469
Cooper, S. L. See Lelah, M. D. 1011
Connolly, R. See Keough, E. M. 577
Covington, J. S.
—; McBride, M. A.; Slagle, W. F.; Disney, A. L.: Beryllium localization in base metal dental casting alloys, 747

Darby, T. D. See Johnson, H. J. 489
de Mele, M. F. L. See Salvarezza, R. C. 1073
Denys, F. R. See Retief, D. H. 335
DePalma, V. A. See Baier, R. E. 1157
Disney, A. L. See Covington, J. S. 747
Donachy, J. H. See Peterson, C. J. 589
Ducheyne, P.
—; Bioglass coatings and bioglass composites as implant materials, 273

Edelman, E. R.
—; Kost, J.; Bobeck, H.; Langer, R.: Regulation of drug release from polymer matrices by oscillating magnetic fields, 67
Ellinghorst, G. See Jansen, B. 1085
Eloy, R. See Chignier, E. 115
Eriksson, C.
—; Surface energies and the bone induction principle, 832
Evancho, M. See Hill, R. 827
Eylers, J. See Gilbert, J. A. 601

Falk, M. C. See Schaberg, S. J. 673
Fister, J. S.
—; Memoli, V. A.; Galante, J. O.; Rostoker, W.; Urban, R. M.: Biocompatibility of Delrin 150: A creep-resistant polymer for total joint prosthese, 519
Fong, J. W. See Visscher, G. E. 349
Foxall, T. See Keough, E. M. 577
Friedland, G. H. See Lewis, J. 99
Fujiwara, Y. See Yano, E. 863

Galante, J. O. See Fister, J. S. 519
Galloway, S. S. See Okabe, T. 727
Garvin, P. J. See Johnson, H. J. 489
Gilbert, J. A.
—; Eylers, J.; Banes, A. J.: A new instrument to assess animal joint stiffness *in vitro*, 601
Gimeno, R. See Chignier, E. 115
Gleizal, C. See Chignier, E. 115
Goldman, M.
Fracture properties of composite and glass ionomer dental restorative materials, 771
Goupil, D. W. See Baier, R. E. 1157
Grasel, T. G. See Lelah, M. D. 1011
Greer, R. T. See Miller, L. J. 1043

Gross, U.
—; Strunz, V.: The interface of various glasses and glass ceramics with a bony implantation bed, 251
Gummel, J. See Höland, W. 303
Gurtowski, J. See Manley, M. T. 563

Haddad, R. J. Jr. See Thomas, K. A. 145
Harris, B. E. See Retief, D. H. 335
Haubold, A. D. See Thomas, K. A. 145
Hayashi, K.
—; Nakamura, T.: Material test system for the evaluation of mechanical properties of biomaterials, 133
Hayashi, K.
—; Takano, H.; Matsuda, T.; Umezu, M: Mechanical stability of elastomeric polymers for blood pump applications, 179
Hayashi, T. See Sato, H. 1135
Hecker, J. F.
—; Scandrett, L. A.: Roughness and thrombogenicity of the outer surfaces of intravascular catheters, 381
Hellem, S. See Sundgren, J.-E. 663
Henriquez, A. S. See Refojo, M. F. 643
Hensten-Pettersen, A. See Niemi, L. 535, 549
Hero, H. See Suononen, E. 917
Heyman, P. W.
—; Cho, C. S.; McRea, J. C.; Olsen, D. B.; Kim, S. W.: Heparinized polyurethanes *In vitro* and *in vivo* studies, 419
Higashi, S. See Nakamua, T. 685
Hill, R.
—; Schmidt, S.; Evancho, M.; Hunter, T.; Sharp, W: Development of a prosthetic venous valve, 827
Hirano, S.
—; Noishiki, Y.: The blood compatibility of chitosan and *N*-acylchitosans, 413
Höland, W.
—; Vogel, W.; Naumann, K.; Gummel, J.: Interface reactions between machinable bioactive glass-ceramics and bone, 303
Horbett, T. A. See Kost, J. 1117
—; See Lentz, A. J. 1101
Hsu, L. See Lentz, A. J. 1101
Hsu, T. T-P.
—; Langer, R.: Polymers for the controlled release of macromolecules: Effect of molecular weight of ethylene-vinyl acetate copolymer, 445
Huc, A. See Chignier, E. 115
Hunter, T. See Hill, R. 827

Imanishi, Y. See Kumaki, T. 785
Ip, W-F.
—; Zingg, W.; Sefton, M.: Parallel flow arteriovenous shunt for the *ex vivo* evaluation of heparinized materials, 161
Itoo, S. See Nakamura, T. 685

Jansen, B.
—; Ellinghorst, G.: Modification of polyetherurethane for biomedical application by radiation-induced grafting. I. Grafting procedure, determination of mechanical properties, and chemical modification of grafted films, 1085
Johnson, H. J.
—; Northrup, S. J.; Seagraves, P. A.; Atallah, M.; Garvin, P. J.; Lin, L.; Darby, T. D.: Biocompatibility test procedures for materials evaluation *in vito*. II. Objective methods of toxicity assessment, 489
Johnson, R. R. See Murphy, K. M. 971
Jones, S. J. See Boyde, A. 199

Kaetsu, I. See Yoshida, M. 615
Kaifu, K. See Yano, E. 863
Kajiyama, T. See Takahara, A. 13
Kalenak, A. See Peterson, C. J. 589
Kawasaki, T.
—; Komai, T.: Poly(*O*-acryl hydroxy *L*-proline) (II) wetting characteristics and blood clotting on surfaces of poly(*O*-acetyl, butyryl, hexanoyl, dodecanoyl, and benzoyl hydroxy *L*-proline), 851
—; See Yano, E. 863
Keough, E. M.
—; Mackey, W. C.; Connolly, R.; Foxall, T.; Ramberg-Laskaris, K.; McCullough, J. L.; O'Donnell, T. F. Jr.; Callow, A. D.: The interaction of blood components with PDMS (polydimethylsiloxane) and LDPE (low-density polyethylene) in a baboon *ex vivo* arteriovenous shunt model, 577
Kim, S. W. See Heyman, P. W. 419
Kitano, T. See Sakamoto, I. 1031
Klebe, R. J. See Bentley, K. L. 757
Kokubo, T. See Nakamura, T. 685
Komai, T. See Yano, E. 863, Kawasaki, T. 851
Kost, J.
—; See Edelman, E. R., 67
—Noekker, R.; Kunica, E.; Langer, R.: Magnetically controlled release systems: Effect of polymer composition, 935
—; Horbett, T. A.; Ratner, B. D.; Singh, M.: Glucose-sensitive membranes containing glucose oxidase: Activity, swelling and permeability studies, 1117
Kubo, Y. See Yano, E. 863
Kumaki, T.
—; Sisido, M.; Y. Imanishi: Antithrombogenicity and oxygen permeability of block and graft copolymers of polydimethylsiloxane and poly(α-amino acid), 785
Kunica, E. See Kost, J. 935
Kusleika, R. See Stupp, S. I. 321
Kusy, R. P.
—; Whiley, Q.: *In situ* replication techniques: II. Quantitative methodologies for replicate materials, 35
Kuwayama, N. See Asaoka, K. 699

Lakes, R. S. See Papadogianis, Y. 85
Langer, R. See Edelman, E. R. 67, Hsu, T. T-P. 445, Kost, J. 935, Leong, K. W. 941
Lelah, M. D.
—; Grasel, T. G.; Pierce, J. A.; Cooper, S. L.: The measurement of contact angles on circular tubing surfaces using the captive bubble technique, 1011
Lentz, A. J.
—; Horbett, T. A.; Hsu, L.; Ratner, B. D.: Rat peritonel macrophage adhesion to hydroxyethyl methacrylate-ethyl methacrylate copolymers and hydroxystyrene-styrene copolymers, 1101
Leong, F.-L. See Refojo, M. F. 643
Leong, K. W.
—; Brott, B. C.; Langer, R.: Bioerodible polyanhydrides as drug-carrier matrices. I: Characterization, degradation, and release characteristics, 941
Lewis, J.
—; Sweeney, J.; Baldini, L.; Friedland, G. H.; Salzman, E. W.: Assessment of thromboresistance of intravenous cannulae by ^{125}I-fibrinogen scanning, 99
Liboff, A. R. See Schaberg, S. J. 673
Lin, L. See Johnson, H. J. 489
Lucht, L. M. See Peppas, N. A. 397
Lundstrom, I. See Sundgren, J.-E. 663

Mackey, W. C. See Keough, E. M. 577
Manley, M. T.
—; Stern, L. S.; Gurtowski, J.: The load carrying and fatigue properties of the stem-cement interface with smooth and porous coated femoral components, 563
Masterson, B. J. See von Fraunhofer, J. A. 595
Matsuda, T. See Hayashi, K. 179
Maulding, H. V. See Visscher, G. E. 349
McAree, D. C. See Cook, W. D. 469
McBride, M. A. See Covington, J. S. 747
McCullough, J. L. See Keough, E. M. 577
McRea, J. C. See Heyman P. W. 419
Memoli, V. A. See Fister, J. S. 519
Miller, L. J.
—; Greer, R. T.: Evaluation of *in vivo* adsorption of blood elements onto hydrogel-coated silicone rubber by scanning electron microscopy and Fourier transform infrared spectroscopy, 1043
Mitchell, R. J. See Okabe, T. 727
Miura, I. See Asaoka, K. 699
Moatamed, F. See Woodward, S. C. 437
Mooney, V. See Tencer, A. F. 957
Moynihan, H. J. See Peppas, N. A. 397
Murphy, K. M.
—; Carter, J. M.; Johnson, R. R.; Sorenson, S. E.: Determination of residual stresses in denture base polymers using the layer removal technique, 971

Nagata, K.
—; Turner, D. T.: Influence of 4-methacryloxyethyl trimellitic anyhdride on composites subjected to hygrothermal cycling, 631
Nakai, K. See Yoshida, M. 615
Nakajima, A. See Sato, H. 1135
Nakamura, T.
—; See Hayashi, K. 133
—; Yamamuro, T.; Higashi, S.; Kokubo, T.; Itoo, S.: A new glass-ceramic for bone replacement: evaluation of its bonding to bone tissue, 685
Nakano, H. See Sakamoto, I. 1031
Naumann, K. See Höland, W. 303
Newesely, H.
—; Rabe, H.: Metallographic texture analysis of dental materials by polarizing microscropy in the incidental light, 369
Niemi, L.
—; Syrjänen, S.; Hensten-Pettersen, A.: The biocompatibility of a dental Ag—Pd—Cu—Au-based casting alloy and its structural components, 535
—; Hensten-Pettersen, A.: *In vitro* cytotoxicity of Ag—Pd—Cu-based casting alloys, 549
Nihira, H. See Sakamoto, I. 1031
Noekker, R. See Kost, J. 935
Noishiki, Y. See Hirano, S. 413, Sato, H. 1135
Northrup, S. J. See Johnson, H. J. 489

O'Donnell, T. F. Jr., See Keough, E. M. 577
Okabe, T.
—; Mitchell, R. J.; Butts, M. B.; Galloway, S. S.; Twiggs, W. S.: Change in creep rate and microstructure in an aged, low-copper amalgam, 727
Okuno, O. See Asaoka, K. 699
Olsen, D. B. See Heyman, P. W. 419
O'Shaughnessy, A. M. See Sawyer, P. N. 991

Papadogianis, Y.
—; Boyer, D. B.; Lakes, R. S.: Creep of posterior dental composites, 85
Papisov, M. I. See Torchilin, V. P., 461
Pearson, J. E. See Visscher, G. E. 349
Peppas, N. A.
—; Moynihan, H. J.; Lucht, L. M.: The structure of highly crosslinked poly(2-hydroxyethyl methacrylate) hydrogels, 397
Pernot, F.
—; Zarzycki, J.; Baldet, P.; Bonnel, F.; Rabischong, P.: *In vivo* corrosion of sodium silicate glasses, 293
Peterson, C. J.
—; Donachy, J. H.; Kalenak, A.: A segmented polyurethane composite prosthetic anterior cruciate ligament *in vivo* study, 589
Pierce, J. A. See Lelah, M. D. 1011
Pierce, W. S.
The artificial heart today, 987, Reid, J. S. 1181
Pitt, C. G. See Woodward, S. C. 437
Price, T. M. See Rudee, M. L. 57
Polk, H. C. See von Fraunhofer 751
Posner, A. S.
The structure of bone apatite surfaces, 241
Powers, D. L.
—; Worthy, F. L.; von Recum, A. F.: A cartilagenous graft as an adjunct to finger joint implant arthroplasty, 509

Rabe, H. See Newesely, H. 369
Rabischong, P. See Pernot, F. 293
Ramberg-Laskaris, K. See Keough, E. M. 577
Ratner, B. D. See Kost, J., 1117, Lentz, A. J. 1101
Reddi, A. H.
Implant-stimulated interface reactions during collagenous bone matrix-induced bone formation, 233
Refojo, M. F.
—; Roldan, M.; Leong, F.-L.; Henriquez, A. S.: Effect of silicone oil on the cornea, 643
Reid, J. S.
—; Rosenberg, G.; Pierce, W. S.: Transmission of water through a biocompatible polyurethane: Application to circulatory assist devices, 1181
Renz, E. A. See Thomas, K. A. 145
Retief, D. H.
—; Harris, B. E.; Bradley, E. L; Denys, F. R.: Pyruvic acid as an etching agent in clinical dentistry, 335
Robison, R. L. See Visscher, G. E. 349
Roldan, M. See Refojo, M. F. 643
Rosenberg, G. See Reid, J. S. 1181
Rostoker, W. See Fister, J. S. 519
Rudee, M. L.
—; Price, T. M.: The initial stages of plasma derived proteins on artificial surfaces in a controlled flow environment, 57

Salzman, E. W. See Lewis, J. 99
Sakamoto, I.
—; Umemura, Y.; Nakano, H.; Nihira, H.; Kitano, T.: Efficacy of an antibiotic coated indwelling catheter: A preliminary report, 1031
Salgaller, M. L.
—; Bajpai, P. K.,: Immunogenicity of glutaraldehyde-treated bovine pericardial tissue xenografts in rabbits, 1
Salvarezza, R. C.
—; de Mele, M. F. L.; Videla, H. H.: Electrochemical behavior of aluminum in human plasma, 1073
Sato, H.
—; Nakajima, A.; Hayashi, T.; Chen, G.-W.; Noishiki, Y.: Microheterophase structure, permeability, and biocompatibility of A—B—A triblock copolymer membranes composed of poly(-ethyl L-glutamate) as the A component and polybutadiene as the B component, 1135
Sawyer, P. N.
—; O'Shaughnessy, A. M.; Sophie, Z.: Development and performance characteristics of a new vascular graft, 991

Scandrett, L. A. See Hecker, J. F. 381
Schaberg, S. J.
—; Liboff, A. R.; Falk, M. C.: Wire-induced osteogenesis in marrow, 673
Schindler, A. See Woodward, S. C. 437
Schmalz, G.
—; Netuschil, L.: A modification of the cell culture agar diffusion test using fluoresceindiacetate staining, 653
Schmidt, S. See Hill, R. 827
Seagraves, P. A. See Johnson, H. J. 489
Sefton, M. See Ip, W-F. 161
Sela, J.
—; Bab, I.: The mechanism of "primary mineralization" in the reaction of bone to injury and administration of implant, 225
Seligson, D. See von Fraunhofer 751
Sharp, W. See Hill, R. 827
Shida, K. See Yoshida, M. 615
Silva, P. A. See Tencer, A. F. 957
Singh, M. See Kost, J. 1117
Sisido, M. See Kumaki, T. 785
Slagle, W. F. See Covington, J. S. 747
Smirnov, V. N. See Torchilin, V. P. 461
Smith, R. See Williams, D. F. 313
Sophie, Z. See Sawyer, P. N. 991
Sorensen, S. E. See Murphy, K. M. 971
Stansbury, J. W.
—; Brauer, G. M.: Divanillates and polymerizable vanillates as ingredients of dental cements, 715
Stern, L. S. See Manley, M. T. 563
Stol, M. See Brynda, E. 1169
Stone, I. K. See von Fraunhofer, J. A. 595
Storey, R. S. See von Fraunhofer, J. A. 595
Strunz, V. See Gross, U. 251
Stupp, S. I.
—; Kusleika, R.: Surface charge on polymeric implants and calcified tissues: Interfacial implications, 321
Sundgren, J.-E.
—; Bodo, P.; Lundstrom, I.; Berggren, A.; Hellem, S.: Auger electron spectroscopic studies of stainless-steel implants, 663
Suononen, E.
—; Hero, H.: Effect of palladium on sulfide tarnishing of noble metal alloys, 917
Sweeney, J. See Lewis, J. 99
Syrjänen, S. See Niemi, L. 535
Szota, P. See Brash, J. L. 1017

Takahara, A.
—; Tashita, J.; Kajiyama, T.; Takayanagi, M.: Effect of aggregation state of hard segment in segmented poly(urethaneureas) on their fatigue behavior after interaction with blood components, 13
Takano, H. See Hayashi, K. 179
Takayanagi, M. See Takahara, A., 13
Tashita, J. See Takahara, A., 13
Tencer, A. F.
—; Mooney, V.; Brown, K. L.; Silva, P. A.: Compressive properties of polymer coated synthetic hydroxyapatite for bone grafting, 957
Thibodeau, J. A. See Brash, J. L., 1017
Thomas, K. A.
—; Cook, S. D.: An evaluation of variables influencing implant fixation by direct bone apposition, 875
—; Cook, S. D.; Renz, E. A.; Anderson, R. C.; Haddad, R. J. Jr.; Haubold, A. D; Yapp, R.: The effect of surface treatments on the interface mechanics of LTI pyrolytic carbon implants, 145
Torchilin, V. P.
—; Papisov, M. I.; Smirnov, V. N.: Magnetic sephadex as a carrier for enzyme immobilization and drug targeting, 461
Turner, D. T. See Nagata, K. 631
Twiggs, W. S. See Okabe, T. 727

Umemura, Y. See Sakamoto, I. 1031
Umezu, M. See Hayashi, K. 179
Urban, R. M. See Fister, J. S. 519

Videla, H. H. See Salvarezza, R. C. 1073
Visscher, G. E.
—; Robison, R. L.; Maulding, H. V.; Fong, J. W.; Pearson, J. E.; Argentieri, G. J.: Biodegradation of and tissue reaction to 50:50 poly(DL-lactide-co-glycolide) microcapsules, 349
Vogel, W. See Höland, W. 303
von Fraunhofer, J. A.
—; Storey, R. S.; Stone, I. K.; Masterson, B. J.: Tensile strength of suture materials, 595
—; Polk, H. C. Jr.,; Seligson, D.: "The leaching of tobramycin from P.M.M.A. bone cement beads," 751
von Recum See Powers, D. L. 509

Welch, L. See Chu, C. C. 903
Whitley, Q. See Kusy, R. P., 35
Williams, D. F.
—; Askill, I. N.; Smith, R.: Protein adsorption and desorption phenomena on clean metal surfaces, 313
Woodward, S. C.
—; Brewer, P. S.; Moatamed, F.; Schindler, A.; Pitt, C. G.: The intracellular degradation of poly(ε-caprolactone), 437
Worthy, F. L. See Powers, D. L. 509

Yamamuro, T. See Nakamua, T. 685
Yamanaka, H. See Yoshida, M. 615
Yano, E.
—; Komai, T.; Kawasaki, T.; Kaifu, K.; Atsuta, T.; Kubo, Y.; Fujiwara, Y.: Wetting characteristics and blood clotting on surfaces of copoly(γ-benzyl-*L*-glutamate, γ-hydroxyethyl-*L*-glutamine), 863
Yapp, R. See Thomas, K. A. 145
Yoshida, M.
—; Asano, M.; Kaetsu, I.; Yamanaka, H.; Nakai, K.; Yuasa, H.; Shida, K.: Effect of drug-vinyl copolymer composites on the rat prostate, 615
Yuasa, H. See Yoshida, M. 615

Zarzycki, J. See Pernot, F. 293
Zingg, W. See Ip, W-F. 161

Subject Index to Volume 19

A—B—A block copolymers, 1135
N-Acetylchitosan, 413
Adsorption energy of bone surface, 241
Adsorption processes, 57
Agar-diffusion-test, 653
Aluminum, 1073
Artificial heart, 987
Artificial implants, 685
Auger electron spectroscopy, 663

Beryllium, 747
Biocompatibility, 489, 519
Biodegradation, 293
Bioglass composition, 273
Biomer, 13
Bioreactive glass, 273
Bioreactive glass ceramics, 251
Block and graft copolymer, 785
Blood clotting, 851, 863
Blood-compatible surfaces, 1017
Blood components, 577
Bone apatite surfaces, 241
Bone apposition, 145
Bone bonding, 251
Bone graft, 957
Bone induction, 832
Bone matrix implantation, 233
Bone modeling, 199
Bone reaction, 225
Bone repair, 673
Bone specific surface, 241

Calcium atomic absorption analysis, 673
Capillary flow test, 35
Cartilage graft, 509
Catheter, 2031
Cell adhesion, 757
Cell culture, 489, 549, 757
Cell-mediated immune response, 1
Chitosan, 413
Circular tubings, 1011
Collagen membranes, 115
Composite materials, 631
Contact angles, 527
Controlled release, 67
Cornea, 643
Creep, 727
Cytotoxicity, 653
Cytotoxicity of Cu, 549

1,10-Decamethylene divanillate, 715
Delrin, 519
Dental amalgam, 727
Dental casting alloys, 747
Dental cements, 715
Dental composites, 85, 631, 771
Dental gold alloys, 917
Dental implant, 699
Denture bases, 971
Dexon, 595
Direct bone apposition, 875
Divanillate-hexylvanillate-*o*-ethoxybenzoic acid-zinc-oxide cement, 715
DKB, 1031
Drug-carrier matrices, 941
Drug delivery, 445

Elastomeric polymer, 133
Electron spectroscopy, 917
Environment, 179
Ethylene-vinyl acetate, 67

Fatigue, 13
Fatigue test, 133, 179
Femoral components, 563
Fibrinogen, 1017
Fibronectin, 757
Finger joints, 509
Flexibility, 179
Fluoresceindiacetate, 653
Fourier transform infrared spectroscopy, 527
Fracture properties, 771

Glass ceramic, 251, 303, 685
Glass ionomer cements, 771
Glucose oxidase, 527
Glutaraldehyde-treated tissue, 1

Heart valve, 1
Heparinization, 161
Histomorphology, 251
Human implants, 663
Human plasma, 1073
Humoral immune response, 1
Hydrogels, 397, 1169

^{125}I-fibrinogen, 99
Immobilized heparin, 419
Immunochemical detection, 81
Immunogenicity, 1
Implants, 225
Incidental polarized light, 369
Inhibited bone bonding, 251
Instrumentation, 601
Interface mechanics, 145
Intracellular biodegradation, 437
Intracellular biodegradation implants, 437
Intravascular catheters, 381
Intravenous cannulae, 99
Interface mechanics, 875
Joint stiffness, 601

Laser-scattering tests, 35
Layer removal technique, 971
Lipid absorption, 13
LTI carbon, 145

Macrophage adhesion, 1101
Magnetic fields, 67

Magnetics, 461
Membranes, 1117
4-Methacryloxyethyl trimellitic anhydride (4-META), 631
Microcapsules, 349
Microphase separated structure, 13
Minicomputer, 133
Molecular weight, 445
Morphometry, 251

Oligomers, 1169
Optical properties, 469

Palladium, 917
Pd-sensitization, 535
Phlebitis, 99
Plasma, 1157
Platelets, 577
Platelets, 1157
PMMA bone cement beads, 751
Poly(α-amino acid), 785
Polyanhydrides, 941
Polydimethylsiloxane, 785
Polyether polyurethane, 179
Polymer based drug delivery, 67
Polymer coated composite, 957
Polymer composition, 935
Polyurethane, 419
Porous ceramic, 957
Porous titanium, 699
Primary-mineralization, 225
Prostatic organ, 615
Prosthetic, 827
Prosthetics, 589
Protein adsorption, 313
Protein desorption, 313
Prothrombin, 813
Pyruvic acid, 335

Radiation-induced grafting, 1085
Radiation polymerized drug-polymer delivery composite, 615
Release systems, 935
Residuals, 1169
Replication techniques, 35

Segmented polyurethane, 1181
Segmented poly(urethaneurea), 13
Servo-hydraulic testing machine, 133
Sephadex, 461
Silastic prosthesis, 509
Silicone oil, 643
Silicone rubber, 1043
Silver, 917
Sodium silicate glasses, 293
Spectrophotometry, 469
Stainless steel, 663
Stem–cement interface, 563
Subcutaneous implantation, 535
Surface energy, 832
Surface treatments, 145
Sustained release, 67
Sutures, 595
Synthetic mesh fabrics, 903

Tarnishing, 917
Tensile test, 179
Texture analysis, 369
Thermally stimulated discharge, 321
Thrombogenicity, 419
Thrombophlebitis, 827
Thromboresistant materials, 99
Thrombosis, 99
Tobramycin, 751
Total joint prostheses, 519

Vascular graft, 987
Venous graft, 987
Venous valves, 827
Vidicon displacement analyzer, 133

Wire-induced osteogenesis, 673